



business specified storage

BISLEY



contents

- 1 filing cabinets
- 2 home storage
- 3 specialist storage units
- 4 vertical storage
- 5 desk associated storage
- 6 storage systems
- 7 appendix



number of years guarantee



anti-tilt



100% opening drawer



locking



A4 - A0 sizes



A4 suspension filing



foolscap suspension filing



lateral filing pockets



box files



small parts storage



stationery



cd storage



video storage



card files



garment storage



standard colour palette



fast track colour palette



additional colour palette



All Bisley manufactured products are 'business specified' to customer requirements. Complementing each product technical specification, the Bisley business specification ensures that every Bisley product is backed by a well-managed, customer-focussed company, continuously reinvesting in its future.



business specification

item	description	price
product	consistently meeting the standards of performance our customers expect	inclusive
service	job done accurately and on time, delivering our promises	inclusive
relationships	suppliers, customers and employees dealt with evenly and fairly	inclusive
efficiency	resources used to the full, wasting nothing and doing only what we do best	inclusive
responsibility	to have a positive influence on the communities we affect	inclusive
innovation	consistently improving our processes to better serve our customers	inclusive





- 1.1 Bisley BS flush-fronted filing cabinets
- 1.1 Bisley BS double filer cabinets
- 1.2 cc contract filing cabinets
- 1.2 aoc contract filing cabinets
- 1.3 side filers



tried and tested

Practical and robust, Bisley manufactured filing cabinets are still the best solution to straight forward filing requirements.

All drawers are mounted on high-durability slides which provide ultra-smooth action and full extension for access to the whole drawer. All cabinets feature integrated drawer interlocks and are rigorously tested to BS4875 Pt7: Strength & Stability of Furniture.



BS filing & double filer cabinets




Bisley filing cabinets are built to last featuring a one-piece carcass, fully welded construction and double skin drawer fronts. Drawers are mounted on roller bearing slides with a positive closing device, providing ultra-smooth action and full extension for access to the whole drawer. The range includes five, four, three and two drawer versions for foolscap or A4 filing.


Bisley Double Filers offer a large capacity cabinet able to accommodate two rows of forward facing suspension files per drawer. Double Filers are suitable for A4 or American letter format and are available as three or four drawer models.

Easy to use PC templates allow computer printed labels.


flush front filing cabinets



1623/3623



1633/3633



1643/3643




1653/3653

foolscap	description	height	width	depth
1623	(BS2E) 2 drawer cabinet	711 (28")	470 (18.5")	622 (24.5")
1633	(BS3E) 3 drawer cabinet	1016 (40")	470 (18.5")	622 (24.5")
1643	(BS4E) 4 drawer cabinet	1321 (52")	470 (18.5")	622 (24.5")
1653	(BS5E) 5 drawer cabinet	1511 (59.5")	470 (18.5")	622 (24.5")
PCF744FP5	Compressor plates (black only) pack 5			
Suffix 0	Security bar			


A4	description	height	width	depth
3623	(A4BS2E) 2 drawer cabinet	711 (28")	413 (16.2")	622 (24.5")
3633	(A4BS3E) 3 drawer cabinet	1016 (40")	413 (16.2")	622 (24.5")
3643	(A4BS4E) 4 drawer cabinet	1321 (52")	413 (16.2")	622 (24.5")
3653	(A4BS5E) 5 drawer cabinet	1511 (59.5")	413 (16.2")	622 (24.5")
BSCPAHSP5	Compressor plates (black only) pack 5			
Suffix 0	Security bar			

Measurements in millimetres (approx. inches)

A4 double filers



DF3



DF4

item	description	height	width	depth
DF3	3 drawer cabinet	1016 (40")	800 (31.5")	622 (24.5")
DF4	4 drawer cabinet	1321 (52")	800 (31.5")	622 (24.5")

Measurements in millimetres (approx. inches)



- 100% extension drawers (0.56m linear capacity)
- fully welded carcase without bolts or rivets for greater strength and cleaner line
- backs and sides are pierced to enable units to be bolted together
- filing cabinets can be fitted with compressor plates

1. easy print labels and holder
2. mastered lock, 200 differs
3. approved to BS4875 pt 7
4. two rows of A4 suspension files in double filer



1

2

3

4




AOC & CC contract filing cabinets




The Bisley 'AOC' filing cabinet represents great value for office storage. Backed by Bisley's strength in manufacturing, features such as 100% drawer extension, smooth resistance-free slides and anti-tilt operation deliver quality and reliability.

Strong, attractive and safe, the 'CC' filing cabinets are the ideal choice for any office. Heavily supported by office products wholesalers, the CC filing cabinet is the cornerstone of the Bisley 'fast track' range of affordable 'storage essentials' available in standard colours on quick delivery.


aoc cabinets



AOC2



AOC3




AOC4



item	description	height	width	depth
AOC2	2 drawer cabinet	711 (28")	470 (18.5")	622 (24.5")
AOC3	3 drawer cabinet	1016 (40")	470 (18.5")	622 (24.5")
AOC4	4 drawer cabinet	1321 (52")	470 (18.5")	622 (24.5")

Measurements in millimetres (approx. inches)


contract filing cabinets



CC2H1A



CC3H1A



CC4H1A



item	description	height	width	depth
CC2H1A	2 drawer cabinet	711 (28")	470 (18.5")	622 (24.5")
CC3H1A	3 drawer cabinet	1016 (40")	470 (18.5")	622 (24.5")
CC4H1A	4 drawer cabinet	1321 (52")	470 (18.5")	622 (24.5")

Measurements in millimetres (approx. inches)



- 100% extension drawers (0.54m linear capacity)
- fully welded carcase without bolts or rivets for greater strength
- approved to BS4875 pt 7

1. large label holder
2. mastered lock, 200 differs
3. hardwearing textured paint finish
4. fast track colour palette



1



2



3



4



side filers




Bisley side filers are ideal where floor space is limited. The range incorporates all the design features of standard filing cabinets but with 30% greater capacity. The drawers, each supported by heavy duty slides enable 100% extension and accommodate one row of foolscap suspension files facing sideways or two rows of A4 files facing forwards.


Easy to use PC templates allow computer printed labels.




side filers



08SF2



08SF3



08SF4

item	description	height	width	depth
08SF2	2 drawer cabinet (complete with cross rails)	693 - 717 (28.5")	800 (31.5")	470 (18.5")
08SF3	3 drawer cabinet (complete with cross rails)	997 - 1021 (40.2")	800 (31.5")	470 (18.5")
08SF4	4 drawer cabinet (complete with cross rails)	1301 - 1325 (52.2")	800 (31.5")	470 (18.5")

Measurements in millimetres (approx inches)



- smooth action, heavy duty ball bearing slides with 100% extension
- fully welded carcase without bolts or rivets for greater strength and cleaner line

1. easy print labels and holder
2. mastered lock, 200 differs
3. approved to BS4875 pt 7
4. side or front facing filing



1

2

3

4





BISLEY

BISLEY

2.1 multidrawers, 12 series

2.1 multidrawers, 29 series

2.2 multidrawers, 39 series

2.2 multidrawers, A3 series

2.3 home multidrawers

2.3 insert trays

2.4 PFA home filer

2.5 f-series cabinets

2.5 media storage cabinets



well organised

Still the most versatile office storage solution, and perfect for individual needs, the Bisley small office range is available in a variety of cabinet and drawer heights with a selection of drop-in accessories.

Available in a broad range of colours and designed to fit on or under a desk, these compact, affordable cabinets are ideal for the home office and media storage environments.




12 & 29 series multidrawers




Bisley 12 Series make great storage units for office or home use. Available with drawer 'heights' from 25mm to 87mm and multi-compartment insert trays for small item storage, the 12 Series is ideally suited to storing all types of stationery.

The 29 Series desk top / under desk are available with a choice of 6 drawer 'heights' from 25mm to 102mm and multi-compartment insert trays for small item storage, the 29 Series is perfect for higher capacity applications. 6, 4 and 10 drawer A3 versions are also available.


12 series multidrawers




055/054




059/058



053/052



062/060



057/056



155C/154C

locking	non locking	description	drawer height	height	width	depth
055	054	12/3 multidrawer (3)*	87	325 (12.7")	279 (11")	408 (16")
059	058	12/4 multidrawer (4)*	64	325 (12.7")	279 (11")	408 (16")
053	052	12/5 multidrawer (5)*	51	325 (12.7")	279 (11")	408 (16")
062	060	12/8 multidrawer (8)*	30	325 (12.7")	279 (11")	408 (16")
057	056	12/10 multidrawer (10)*	25	325 (12.7")	279 (11")	408 (16")
155C	154C	12/3 cattle passport (1+2)*	51, 102	325 (12.7")	279 (11")	408 (16")

* Number of drawers
Measurements in millimetres (approx. inches)

29 series multidrawers




187/185




063/061




067/065




087/085



071/069



082/080



083/081

locking	non locking	description	drawer height	height	width	depth
187	185	29/8b multidrawer (2+3+3)*	21, 51, 102	670 (26.5")	279 (11")	408 (16")
063	061	29/5 multidrawer (5)*	102	670 (26.5")	279 (11")	408 (16")
067	065	29/6 multidrawer (6)*	87	670 (26.5")	279 (11")	408 (16")
087	085	29/8 multidrawer (8)*	64	670 (26.5")	279 (11")	408 (16")
071	069	29/10 multidrawer (10)*	51	670 (26.5")	279 (11")	408 (16")
082	080	29/16 multidrawer (16)*	30	670 (26.5")	279 (11")	408 (16")
083	081	29/20 multidrawer (20)*	25	670 (26.5")	279 (11")	408 (16")

* Number of drawers
Measurements in millimetres (approx. inches)

specifications: insert trays - see page 2.3



- locking and non-locking units
- small part storage multi-compartment trays
- label holder on every drawer
- rubber 'feet' on desk mounted units

1. leveller base option
2. standard plinth for underdesk use
3. high plinth can be fitted to raise unit to support desks
4. castor bases can be fitted



1

2

3

4




39 & A3 series multidrawers + optional extras




The 29 Series under desk units make great storage units for office or home use. Available with a choice of 5 drawer 'heights' from 25mm to 87mm and multi-compartment insert trays for small item storage, the 29 Series is a flexible small office solution. 9 and 15 drawer A3 versions are also available.

The optional accessories for the Multidrawer range include:
Castor bases for 29 and 39 series, leveller bases for 29 and 39 series and a high plinth for 29 and 39 series. Multi-compartment trays are available from 4 to 35 compartments as well as A4 and A3 pen trays.


39 series multidrawers




103/101




127/125



091/089



102/100



123/121

locking	non locking	description	drawer height	height	width	depth
103	101	39/9 multidrawer (9)*	87	940 (37")	279 (13.7")	408 (18")
127	125	39/12 multidrawer (12)*	64	940 (37")	279 (13.7")	408 (18")
091	089	39/15 multidrawer (15)*	51	940 (37")	279 (13.7")	408 (18")
102	100	39/24 multidrawer (24)*	30	940 (37")	279 (13.7")	408 (18")
123	121	39/30 multidrawer (30)*	25	940 (37")	279 (13.7")	408 (18")


* Number of drawers

Measurements in millimetres (approx. inches)


A3 series multidrawers (29 & 39 series)



113/112




2450/2440



117/116



115/114



119/118

locking	non locking	description	drawer height	height	width	depth
113	112	BA3/6 (6)*	87	670 (26.5")	349 (13.7")	460 (18")
2450	2440	BA3/4 (1+3)*	51, 156	670 (26.5")	349 (13.7")	460 (18")
117	116	BA3/10 (10)*	51	670 (26.5")	349 (13.7")	460 (18")
115	114	BA3/9 (9)*	87	670 (26.5")	349 (13.7")	460 (18")
119	118	BA3/15 (15)*	51	670 (26.5")	349 (13.7")	460 (18")

* Number of drawers

Measurements in millimetres (approx. inches)



- locking and non-locking units
- small part storage via multi-compartment trays
- castor bases can be fitted
- high plinth bases can be fitted to raise unit to support desks

- easy media storage (BA3/4)
- label holder on every drawer
- 35 compartment insert tray
- 16 compartment insert tray




1

2


3

4

BA3 single door locking cupboard



112C1



114C1

left hinge	right hinge	description	height	width	depth
112c1l	112c1	ba3/29 with one shelf	670 (26.3")	349 (13.7")	460 (18")
114c1l	114c1	ba3/39 with one shelf	940 (37")	349 (13.7")	460 (18")
BAS		extra shelf			

Measurements in millimetres (approx. inches)

optional base

item	description	overall height of cabinet mm	
		29 series	39 series
CB2	castor base for 29 & 39 series	612 (24")	879 (34.5")
LBMD23	leveller base for 29 & 39 series	616-656 (24.25-25.8")	886-926 (35.25-36.5")
Suffix/7	high plinth for 29 & 39 series*	712 (28")	979 (38.5")
		BA3/6 BA3/4 BA3/10	BA3/9 BA3/15
CB3	castor base for A3 series	612 (24")	879 (34.5")
LBMDA3	leveller base for A3 series	616-656 (24.25-25.8")	886-926 (35.25-36.5")

* High plinth is factory fitted, speak to your Bisley Account Manager for details.
Measurements in millimetres (approx. inches)

specifications: insert trays - see page 2.3


home multidrawers & insert trays




With a smaller footprint than standard multidrawers, lower heights and simpler configurations, the Home Multidrawers provide even better value storage. 6 units in total, the Home Multidrawers represent the most popular configurations from the 12, 29 and 39 Series.

Plastic insert trays can be fitted to all Bisley multidrawer units. Multiple height versions are available to match drawer heights.


home multidrawers



H123NL



H125NL




H2910NL



H296NL



H298BNL




H3915NL


item	description	drawer height	height	width	depth
H123NL	home multidrawer (3)*	87	325 (12.7")	278 (11")	380 (15")
H125NL	home multidrawer (5)*	51	325 (12.7")	278 (11")	380 (15")
H2910NL	home multidrawer (10)*	51	590 (23.2")	278 (11")	380 (15")
H296NL	home multidrawer (6)*	87	590 (23.2")	278 (11")	380 (15")
H298BNL	home multidrawer (2+3+3)*	25, 51, 102	590 (23.2")	278 (11")	380 (15")
H3915NL	home multidrawer (15)*	51	860 (33.7")	278 (11")	380 (15")

* Number of drawers
Measurements in millimetres (approx. inches)


insert trays




223P5




222P5




221P5




227P5




226P5




225P5




224P5




PIT580P5



PIT450P5



PIT451P5



PIT522P5

item	description	height	compatible drawers
223P5	A4, 4 compartment tray	22 (1")	all A4 drawers
222P5	A4, 9 compartment tray	22 (1")	all A4 drawers
221P5	A4, 35 compartment tray	22 (1")	all A4 drawers
227P5	A4, 4 compartment tray	51 (2")	102, 87, 64, 51 deep, A4 drawers
226P5	A4, 9 compartment tray	51 (2")	102, 87, 64, 51 deep, A4 drawers
225P5	A4, 16 compartment tray	51 (2")	102, 87, 64, 51 deep, A4 drawers
224P5	A4, 24 compartment tray	51 (2")	102, 87, 64, 51 deep, A4 drawers
PIT580P5	A4, pentray	51 (2")	102, 87, 64, 51 deep, A4 drawers
PIT450P5	A3, pentray	51 (2")	102, 87, 64, 51 deep, A3 drawers
PIT451P5	A3, 12 compartment tray	83 (3.25")	156, 87 deep, A3 drawers
PIT522P5	F series, 5 compartment plastic insert tray	83 (3.25")	F-series storage drawers

Measurements in millimetres (approx. inches)



- non locking
- smaller footprint (380mm deep)
- available in standard colours
- no plinth

1. 9 compartment insert tray
2. 24 compartment insert tray
3. 16 compartment insert tray
4. A4 pen tray



1



2



3



4



PFA home filer



An essential product for those seeking practical filing solutions with a small budget; Bisley 'home filers' are designed primarily for small office under desk storage. Five under desk and two taller cabinets are available in various combinations of stationery / media and filing drawers.


colour options

PFA home filers are finished in the following textured colours:

item	colour
V4	grey
V1	black
V4Y8	grey/red duo
V4Y7	grey/blue duo



pfa home filer



PFA1S1F




PFA3S



PFA4S




PFA3



PFA2



PFA3F



PFA4F

item	description	height	width	depth
PFA1S1F	1 stationery, 1 filing drawer, mobile	521 (20.5")	413 (16.2")	400 (15.7")
PFA3S	3 stationery drawers, mobile	521 (20.5")	413 (16.2")	400 (15.7")
PFA4S	4 stationery drawers	672 (26.5")	413 (16.2")	400 (15.7")
PFA3	2 stationery, 1 filing drawer	672 (26.5")	413 (16.2")	400 (15.7")
PFA2	2 filing drawers	672 (26.5")	413 (16.2")	400 (15.7")
PFA3F	3 filing drawers	1015 (40")	413 (16.2")	400 (15.7")
PFA4F	4 filing drawers	1282 (50.5")	413 (16.2")	400 (15.7")
DIP	Drop-in pentray (A4) can be ordered separately			

Measurements in millimetres (approx. inches)



- 'low' mobile versions
- 80% extension drawers
- locking
- optional pen tray
- large label holder

1. A4 suspension pockets
2. cd storage
3. stationery
4. pfa home filer colour palette



1



2



3



4



f-series & media storage cabinets




F Series filing cabinets provide complete flexibility for storing both A4 and Foolscap suspension files. 2 filing-drawers, 6 personal-drawers, 1 filing and 3 personal-drawer versions are available.


Bisley media storage cabinets are specifically designed to store CDs, DVDs and videos. Each drawer can be divided into three rows to accommodate up to 120 CDs, 54 DVDs or 26 videos.

All drawers are fitted with anti-tilt safety devices and ball bearing slides for smooth opening. The design also enables the plinth to be replaced with either castors or adjustable height levellers.


f series - flush front & classic front




0503




0463




0493



050



046




049

flush	classic	description	height	width	depth
0503	050*	1F3E - 1 filing and 3 storage drawers	711 (28")	470 (18.5")	470 (18.5")
0463	046*	2FE - 2 filing drawers	711 (28")	470 (18.5")	470 (18.5")
0493	049*	F6E - 6 storage drawers	711 (28")	470 (18.5")	470 (18.5")
PIT522P5		5 compartment plastic insert tray fits storage drawers - pack of 5 (see page 2.3)			
CB1		castor base for all units (please specify if factory fitted)			


* Classic style handles

Measurements in millimetres (approx. inches)

media storage cabinets



MS4E



MS4C

flush	classic	description	height	width	depth
MS4E	MS4C*	4 drawers - empty	711 (28")	498 (19.5")	470 (18.5")
MSVP		video pack - 4 dividers / 8 compressor plates			
MSCDP		cd pack - 8 dividers / 12 compressor plates			
MSDP4		dividers - pack of 4			
CB4		castor base - please specify if factory fitted (single pack)			

* Classic style handles

Measurements in millimetres (approx. inches)



- 100% extension drawers
- drawer interlock
- classic or flush front
- mastered lock, 200 differs

1. optional castor base
2. optional leveller base
3. compressor plates
4. insert tray



1



2



3



4





- 3.1 A0 / A1 Plan files
- 3.2 card filing cabinets
- 3.2 card index cabinets



divided to conquer

Bisley's specialist document storage range is designed for maximum versatility and capacity across a range of media sizes; specific product variants provide practical and logical filing from A7 to A0.




A0 & A1 plan files




The renowned Bisley Plan File is still a common sight in design offices and studios across Europe and even though fewer large format documents are stored in this way, there is still a requirement for protected, practical storage of drawings, plans, samples and collections. Bisley plan files are available in five or ten drawer units and either A0 or A1 size; intermediate five drawer sections are also available to further increase capacity.


A0 plan files



460



463




461/462


item	description	height	width	depth
460	FCB 41 - 5 drawer intermediate section only	406 (16")	1359 (53.5")	927 (36.5")
463	FCB 40 - 5 drawer unit complete with top and plinth	508 (20")	1359 (53.5")	927 (36.5")
461/462	FCB 33 - 10 drawer unit complete with top and plinth	914 (36")	1359 (53.5")	927 (36.5")
PFD	plan file dividers (pack of 2)			

Measurements in millimetres (approx. inches)


A1 plan files



470



473



471/472

item	description	height	width	depth
470	FCB 44 - 5 drawer unit intermediate section only	406 (16")	1010 (39.7")	691 (27.2")
473	FCB 43 - 5 drawer unit complete with top and plinth	508 (20")	1010 (39.7")	691 (27.2")
471/472	FCB 42 - 10 drawer unit complete with top and plinth	914 (36")	1010 (39.7")	691 (27.2")
PFD	plan file dividers (pack of 2)			

Measurements in millimetres (approx. inches)



- A0 drawers are tested to an evenly distributed load of 50kg (25kg A1 drawers)
- Stack plan files up to 15 drawers, adding capacity at a later date

1. two large label holders per drawer
2. mastered lock, 200 differs
3. all drawers fitted with pressure bar and hood to prevent creasing and curling
4. all drawers are slotted and can be subdivided into other A sizes



1



2



3



4




card filing & card index cabinets




The Bisley range of card filing cabinets can accommodate up to 4600 cards per drawer but is also suitable for archive media storage such as CDs, DVDs and videos. Each drawer can be subdivided for efficient filing, features a positive closing device and is mounted on ball bearing rollers for smooth operation even when fully loaded.

Small and compact, card index cabinets are a cost-effective method of storing card-based information immediately to hand. Robust and secure single and double versions are available for 5" x 3", 6" x 4" and 8" x 5" cards.


card filing cabinets



B64
card size: 152 x 102 (6x4")



B85
card size: 203 x 127 (8x5")



B96
card size: 228 x 152 (9x6")

item	description	capacity			height	width	depth
		cards	cds	videos			
B64	BCF64 - card filing cabinet (9)*	41,400	-	-	1321 (52")	413 (16.2")	622 (24.5")
B85	BCF85 - card filing cabinet (7)*	32,200	-	294	1321 (52")	518 (20.3")	622 (24.5")
B85CD	CD cabinet	-	1113	-			
B96	BCF96 - card filing cabinet (6)*	27,600	960	252	1321 (52")	568 (22.3")	622 (24.5")

Additional compressor plates (sold in packs of ten) for **8346P10** - B64 plates, **8347P10** - B85 plates, **8348P10** - B96 plates. * Number of drawers
Measurements in millimetres (approx. inches)

card index cabinets



128/A7HS



129/A6HS




130/A5HS



131/A7HD



132/A6HD



133/A5HD

imperial	description		card sizes	height	width	depth
128	FCB13 - card index cabinet (1)*		5 x 3" (A7)	133 (5.2")	192 (7.5")	403 (16")
129	FCB14 - card index cabinet (1)*		6 x 4" (A6)	159 (6.2")	217 (8.5")	403 (16")
130	FCB15 - card index cabinet (1)*		8 x 5" (A5)	206 (8")	271 (10.7")	403 (16")
131	FCB23 - card index cabinet (2)*		5 x 3" (A7)	159 (6.2")	384 (15")	403 (16")
132	FCB24 - card index cabinet (2)*		6 x 4" (A6)	159 (6.2")	434 (17")	403 (16")
133	FCB25 - card index cabinet (2)*		8 x 5" (A5)	206 (8")	542 (21.5")	403 (16")

metric	description		card sizes	height	width	depth
A7HS	FCB13 - card index cabinet (1)*		5 x 3" (A7)	133 (5.2")	192 (7.5")	403 (16")
A6HS	FCB14 - card index cabinet (1)*		6 x 4" (A6)	159 (6.2")	217 (8.5")	403 (16")
A5HS	FCB15 - card index cabinet (1)*		8 x 5" (A5)	206 (8")	271 (10.7")	403 (16")
A7HD	FCB23 - card index cabinet (2)*		5 x 3" (A7)	159 (6.2")	384 (15")	403 (16")
A6HD	FCB24 - card index cabinet (2)*		6 x 4" (A6)	159 (6.2")	434 (17")	403 (16")
A5HD	FCB25 - card index cabinet (2)*		8 x 5" (A5)	206 (8")	542 (21.5")	403 (16")

Each drawer will accommodate approx. 1,500 new cards. Each lock per drawer **022**. Add L to code for factory fitted lock.

Additional compressor plates (sold in packs of ten) for **138P10** = 5 x 3 (A7), **1381P10** = 6 x 4 (A6), **1382P10** = 8 x 5 (A5) * Number of drawers
Measurements in millimetres (approx. inches)



- all drawers can be subdivided
- drawer interlock on B85 and B96
- card file can be secured together for stability

1. index cards
2. magnetic media
3. mastered lock, 200 differs
4. two large label holders





- 4.1 two door cupboards
- 4.1 open front cupboards
- 4.2 stationery cupboards
- 4.3 side opening tambour cupboards
- 4.4 contract side opening tambour cupboards
- 4.5 A4 euro tambours
- 4.6 storage lockers
- 4.7 static shelving



vertical spaces sorted

Bisley tambour and two door cupboards enable maximum vertical space utilisation and offer a selection of cabinet heights to suit media and location. Bisley make it easy to plan storage to the needs of a particular application; a comprehensive range of internal fittings is available for the filing and storage requirements of every office.




two door & open front cupboards




The ubiquitous, all purpose Bisley cupboard is available both fully assembled or in flat-pack screwdriver-assembly form for those out-of-the-way corners of the building. Available in four heights to suit location and storage requirements, a range of cupboard fitments is available including 'pigeon holes' and 'wardrobe packs'.


two door cupboards




A402W11



A652W00



A722W00




A782W00


item	overall height	height	width	depth
A402W11	two door cupboard with one shelf	1016 (40")	914 (36")	457 (18")
A652W00	two door cupboard empty	1651 (65")	914 (36")	457 (18")
A722W00	two door cupboard empty	1806 (71")	914 (36")	457 (18")
A782W00	two door cupboard empty	1968 (77.5")	914 (36")	457 (18")

KD cupboards available, price on request.
Measurements in millimetres (approx. inches)


open front cupboards




A400W11



A650W00



A720W00



A780W00

item	overall height	height	width	depth
A650W00	open cupboard empty	1651 (65")	914 (36")	457 (18")
A720W00	open cupboard empty	1806 (71")	914 (36")	457 (18")
A780W00	open cupboard empty	1968 (77.5")	914 (36")	457 (18")

KD cupboards available, price on request.
Measurements in millimetres (approx. inches)



- magnetic latching
- 2 point locking
- flush-handle design
- standard, slotted or universal shelves

1. undershelf filing
2. slotted shelves
3. plain shelf
4. pigeon holes



1



2



3



4




stationery cupboards




Bisley stationery cupboards are designed for maximum storage capacity but are economical on space. In recognition of the fact that multiple different office items need to be stored behind closed doors, stationery cupboards do not accommodate suspension filing frames but provide a space efficient solution to most on shelf filing requirements and undershelf lateral filing. Bisley stationery cupboards are part of the Bisley 'fast track' range of affordable 'storage essentials' available in standard colours on quick delivery.




stationery cupboards



E402A01



E722A03



E782A04


item	description	height	width	depth
E402A01	stationery cupboard with one black filing shelf	1000 (39.5")	914 (36")	400 (15.7")
E722A03	stationery cupboard with three black filing shelves	1806 (71")	914 (36")	400 (15.7")
E782A04	stationery cupboard with four black filing shelves	1950 (76.5")	914 (36")	400 (15.7")
E198P1:33	additional dual purpose shelf - black			

These cupboards are designed to accommodate a dual purpose shelf / with undershelf filing rail. ref E198P1:33
 Colours: stationery cupboards are finished in textured colours: goose grey, light grey, black & coffee/cream duo.
 Measurements in millimetres (approx. inches)



- supplied complete with dual purpose shelves
- three-point locking mechanism for security
- unobtrusive integrated handle
- hard wearing textured paint finish

1. dual purpose shelf
2. smaller footprint
3. mastered lock, 200 differs
4. fast track colour palette



1



2



3



4




side opening tambour cupboards




Bisley's range of versatile Side Opening Tambour Cupboards has been designed to maximise storage capacity and make the most of valuable office space; because tambour doors retract into the cupboard side, they use up less space.

A comprehensive range of internal fittings enables efficient storage for every application.


side opening tambours




AST28W




AST40W



AST65W



AST78W




AST87W

item	overall height	height	width	depth
AST28W	tambour cupboard empty	711 (28")	1000 (39.5")	470 (18.5")
AST40W	tambour cupboard empty	1016 (40")	1000 (39.5")	470 (18.5")
AST65W	tambour cupboard empty	1651 (65")	1000 (39.5")	470 (18.5")
AST78W	tambour cupboard empty	1968 (77.5")	1000 (39.5")	470 (18.5")
AST87W	tambour cupboard empty	2229 (87.7")	1000 (39.5")	470 (18.5")

KD tambours available, price on request. (457mm deep only). Shutter colours available in cream, light grey, black, dark grey & silver.
Measurements in millimetres (approx. inches)

cupboard fitments



item	description
1. 198P1:45	shelf with undershelf filing (A4) - files with 330mm centre - grey
1. 198P1:33	shelf with undershelf filing (A4) - files with 330mm centre - black
2. BSS	slotted shelf (single pack)
2. BSDP5	slotted shelf dividers (set of 5)
3. BBSP1:45	standard shelf (single pack) grey
3. BBSP1:45	standard shelf (single pack) black
4. RODWR4	roll-out drawer (single pack) 102mm (4" deep)
4. BDD3P5	drawer dividers (set of 5)
5. BWS	wardrobe shelf (single pack)
6. ROSH	roll-out shelf (single pack)
7. BUS1	undershelf lateral filing (single pack)
8. BUR	lateral filing rail (single pack) (A4) adjustable lateral file (range 190-330mm)
9. ROSFF	roll-out suspension filing frame (single pack) (foolscap side-to-side or 2 rows of A4 front to back)
10. BPH	pigeon hole (single pack) (includes shelf/dividers and intershelves)
10. PHSP8	intershelves (pack of 8)
11. BWP	wardrobe pack for 78" cupb + 78" & 87" side tamb + 87" vertical tamb



- approved to BS4875 Part 8
- using AST87 and side access media up to 5.88 linear metres of storage is available
- ideal for roll-out cupboard fitments such as filing frames and drawers

1. roll-out filing frame
2. roll-out drawer
3. roll-out reference shelf
4. lateral rail




1



2



3



4




contract side opening tambour




The CST tambour cupboard represents great value and flexibility for office storage. With a limited range of cabinet sizes and internals, the CST tambour cupboards are part of the Bisley 'fast track' range of affordable 'storage essentials' available in standard colours on quick delivery.


contract side opening tambour



CST40W



CST65W




CST78W




item	description	height	width	depth
CST40W	tambour cupboard empty	1016 (40")	1000 (39.5")	470 (18.5")
CST65W	tambour cupboard empty	1651 (65")	1000 (39.5")	470 (18.5")
CST78W	tambour cupboard empty	1968 (77.5")	1000 (39.5")	470 (18.5")

Measurements in millimetres (approx. inches)


internal fitments for side opening tambours



BBSP1



BUR



BRFA



item	description
BBSP1:45	standard shelf grey
BBSP1:33	standard shelf black
BUR	lateral filing rail
ROSFF	roll-out suspension filling frame

Measurements in millimetres (approx. inches)



- approved to BS4875 Part 8
- using CST78 and side access media more than 5 linear metres of storage is available
- ideal for roll-out storage using filing frames

1. shelf
2. lateral rail
3. roll-out frame
4. available in textured goose grey with light grey tambours or coffee with cream tambours



1

2

3

4




A4 eurotambour




Designed specifically to a European format, Eurotambours provide optimum filing capacity for A4 size media. An expansive range of cabinet sizes and internal fittings enables efficient storage for selected filing applications.


A4 eurotambours




ET408/06/TB.*
ET410/TB.*
ET412/TB.*




ET408/06.*
ET410/06.*
ET412/06.*




ET408/10.*
ET410/10.*
ET412/10.*



ET408/13.*
ET410/13.*
ET412/13.*




ET408/16.*
ET410/16.*
ET412/16.*




ET408/19.*
ET410/19.*
ET412/19.*

item	description	item (empty)	height	width	depth
ET408/TB.*	A4 eurotambour 'top box'	-	495 (19.5")	800 (31.5")	430 (17")
ET408/06/1S.*	A4 eurotambour, 1 shelf	ET408/06.*	695 (27.3")	800 (31.5")	430 (17")
ET408/10/2S.*	A4 eurotambour, 2 shelves	ET408/10.*	1030 (40.5")	800 (31.5")	430 (17")
ET408/13/3S.*	A4 eurotambour, 3 shelves	ET408/13.*	1330 (52.4")	800 (31.5")	430 (17")
ET408/16/3S.*	A4 eurotambour, 3 shelves	ET408/16.*	1600 (63")	800 (31.5")	430 (17")
ET408/19/4S.*	A4 eurotambour, 4 shelves	ET408/19.*	1980 (78")	800 (31.5")	430 (17")
ET410/TB.*	A4 eurotambour 'top box'	-	495 (19.5")	1000 (39.5")	430 (17")
ET410/06/1S.*	A4 eurotambour, 1 shelf	ET410/06.*	695 (27.3")	1000 (39.5")	430 (17")
ET410/10/2S.*	A4 eurotambour, 2 shelves	ET410/10.*	1030 (40.5")	1000 (39.5")	430 (17")
ET410/13/3S.*	A4 eurotambour, 3 shelves	ET410/13.*	1330 (52.4")	1000 (39.5")	430 (17")
ET410/16/3S.*	A4 eurotambour, 3 shelves	ET410/16.*	1600 (63")	1000 (39.5")	430 (17")
ET410/19/4S.*	A4 eurotambour, 4 shelves	ET410/19.*	1980 (78")	1000 (39.5")	430 (17")
ET412/TB.*	A4 eurotambour 'top box'	-	495 (19.5")	1200 (47.2")	430 (17")
ET412/06/1S.*	A4 eurotambour, 1 shelf	ET412/06.*	695 (27.3")	1200 (47.2")	430 (17")
ET412/10/2S.*	A4 eurotambour, 2 shelves	ET412/10.*	1030 (40.5")	1200 (47.2")	430 (17")
ET412/13/3S.*	A4 eurotambour, 3 shelves	ET412/13.*	1330 (52.4")	1200 (47.2")	430 (17")
ET412/16/3S.*	A4 eurotambour, 3 shelves	ET412/16.*	1600 (63")	1200 (47.2")	430 (17")
ET412/19/4S.*	A4 eurotambour, 4 shelves	ET412/19.*	1980 (78")	1200 (47.2")	430 (17")


* Add digits for Shutter Colours available in light grey (LG), cream (2), black (5), dark grey (9), silver (SL), beech (BC) and white (WH)
Measurements in millimetres (approx. inches)




1
item (800mm wide)



2
item (1000mm wide)



3
item (1200mm wide)



4
description

1. ET408SHPS	ET410SHPS	ET412SHPS	shelf with undershelf filing
2. ET408RFPS	ET410RFPS	ET412RFPS	roll-out filing frame for A4 suspension pockets
3. ET408RSPS	ET410RSPS	ET412RSPS	roll-out shelf
4. ET408RD4PS	ET410RD4PS	ET412RD4PS	roll-out 100mm (4") drawer

Measurements in millimetres (approx. inches)



- designed for A4 filing
- smaller footprint (430mm deep)
- multiple cabinet heights and widths enable optimum configurations
- ideal for roll-out cupboard fitments such as A4 filing frames and media drawers

1. roll-out filing frame
2. approved to BS4875 pt 8
3. dual purpose shelf
4. roll-out reference shelf



1

2

3

4




storage lockers



Bisley lockers provide a functional yet stylish solution for secure personal storage in commercial or public premises. The range incorporates two depths of locker (305mm and 457mm) with a choice of single, two, four and six door compartments.

Additional design features include an under shelf coat hook in two door lockers, with an under shelf coat rail for multiple hangers in the single door locker.

lockers 




CLK121



CLK122




CLK124




CLK126




CLK181



CLK182



CLK184



CLK186

item	description	internal compartment			external		
		height	width	depth	height	width	depth
CLK121	1 door locker	1703	274	240	1802 (71")	305 (12")	305 (12")
CLK122	2 door locker	847	274	240	1802 (71")	305 (12")	305 (12")
CLK124	4 door locker	416 & 404*	274	240	1802 (71")	305 (12")	305 (12")
CLK126	6 door locker	275 & 263*	274	240	1802 (71")	305 (12")	305 (12")
CLK181	1 door locker	1703	426	240	1802 (71")	305 (12")	457 (18")
CLK182	2 door locker	847	426	240	1802 (71")	305 (12")	457 (18")
CLK184	4 door locker	416 & 404*	426	240	1802 (71")	305 (12")	457 (18")
CLK186	6 door locker	275 & 263*	426	240	1802 (71")	305 (12")	457 (18")

* Where 2 internal heights are listed, the first is for the top and the bottom compartments only.
Measurements in millimetres (approx. inches)



- lockers are fitted with a camlock - Hasp locks are optional
- each locker has ventilation holes in the top and base of the carcass

1. card holder on every door
2. approved to BS4875 pt 7
3. mastered lock, 2000 differs
4. bolt together back and sides



1



2



3



4




static shelving




A range of versatile shelving that can be organised to suit your space requirements exactly. Fully pocketed shelf clips and smooth, roll formed edges ensure a safe storage environment for people and materials.

Starter and extension kits enable you to build complete systems or cost effectively add storage at a later date. Six shelf units are 1827mm high and three shelf units are 1107mm high; available with 300 or 400mm deep shelves.


static shelving




1 x BRSTK33
1 x BREXK33



1 x BRSTK43
1 x BREXK43



1 X BRSTK36
1 X BREXK36



1 X BRSTK46
1 X BREXK46

item	description	kit contains	height	width	depth
BRSTK33	starter kit	2 x frame, 3 x shelf, 1 x cross bracing kit	1107 (43.5")	1000 (39")	300 (11.8")
BREXK33	extension kit	1 x frame, 3 x shelf	1107 (43.5")	1000 (39")	300 (11.8")
BRSTK43	starter kit	2 x frame, 3 x shelf, 1 x cross bracing kit	1107 (43.5")	1000 (39")	400 (15.7")
BREXK43	extension kit	1 x frame, 3 x shelf	1107 (43.5")	1000 (39")	400 (15.7")
BRCBK3	extra bracing kit				
BRSTK36	starter kit	2 x frame, 6 x shelf, 1 x cross bracing kit	1827 (72")	1000 (39")	300 (11.8")
BREXK36	extension kit	1 x frame, 6 x shelf	1827 (72")	1000 (39")	300 (11.8")
BRSTK46	starter kit	2 x frame, 6 x shelf, 1 x cross bracing kit	1827 (72")	1000 (39")	400 (15.7")
BREXK46	extension kit	1 x frame, 6 x shelf	1827 (72")	1000 (39")	400 (15.7")
BRCBK6	extra bracing kit				

Measurements in millimetres (approx. inches)




- available in light grey
- quick and easy to assemble – only one screw
- 90kg load capacity per shelf
- extra bracing is only required every other shelving bay

1. move or add extra shelves easily
2. extend side to side and back to back
3. designed to SEMA & FEM code of practice
4. 400mm deep dual purpose shelf



1



2



3



4





5.1 towers

5.2 integrated pedestal

5.3 wave pedestal



desk bound

Bisley has developed a comprehensive range of desk storage to be incorporated with any desk product. Carcases are precision engineered from one piece steel wraps with no visible seams and offer exceptional strength characteristics.




towers




Bisley Pedestal Towers is a range of integrating desk storage elements designed around the concept that personal storage cannot be pre-defined and what people store on-and-around their desk changes with every desk. Bisley address this need, but also recognise the need for formality and tidyness.

Available in different heights and configurations, 'Towers' provides adaptable spaces for filing, desk accessories, storage of personal items and the ability to quickly 'lock up the laptop' or maintain a clean desk.


towers




TWRPEDIFF & TWRBOX



TWRPEDHEFF & TWR TAM.SL



TWR10R1BA



TWR9R1B3A

item	description	height	width	depth
TWRBOX	open storage box at desk height	1100 (43")	420 (16.5")	800 (31.5")
TWRPEDIFF	free standing pedestal, 2 filing drawers, recessed handles			
TWRBOX	open storage box at desk height	1100 (43")	420 (16.5")	800 (31.5")
TWRPEDHEFF	free standing pedestal, 2 filing drawers, applied handles			
TWRBOX	open storage box at desk height	1100 (43")	420 (16.5")	800 (31.5")
TWRPEDISSF	free standing pedestal, 2 stationery, 1 filing drawer, recessed handles			
TWRBOX	open storage box at desk height	1100 (43")	420 (16.5")	800 (31.5")
TWRPEDHESSF	free standing pedestal, 2 stationery, 1 filing drawer, applied handles			
TWR TAM.SL	locking tambour storage box at desk height	1100 (43")	420 (16.5")	800 (31.5")
TWRPEDIFF	free standing pedestal, 2 filing drawers, recessed handles			
TWR TAM.SL	locking tambour storage box at desk height	1100 (43")	420 (16.5")	800 (31.5")
TWRPEDHEFF	free standing pedestal, 2 filing drawers, applied handles			
TWR TAM.SL	locking tambour storage box at desk height	1100 (43")	420 (16.5")	800 (31.5")
TWRPEDISSF	free standing pedestal, 2 stationery, 1 filing drawer, recessed handles			
TWR TAM.SL	locking tambour storage box at desk height	1100 (43")	420 (16.5")	800 (31.5")
TWRPEDHESSF	free standing pedestal, 2 stationery, 1 filing drawer, applied handles			
*TWR9R1B3A	RH tall storage tower, radiused front, 18mm top panel, 3 x adjustable shelves	1300 (51")	450 (18")	840 (33")
*TWR10R1BA	RH storage tower, radiused front, 18mm top panel, 1 x adjustable shelf	1100 (43")	450 (18")	840 (33")
*TWR10R1BAL	RH storage tower with tool ladder, radiused front, 18mm top panel,			
	1 adjustable shelf	1100 (43")	450 (18")	840 (33")

* Right handed units are shown, replace second R with L for left handed units e.g. TWR9R1B3A = right handed, TWR9L1B3A = left handed

Measurements in millimetres (approx. inches)



- extensive colour palette
- configurations to suit your application
- optional work surfaces, tool ladders and fabric pin boards
- free storage for personal items

1. topbox
2. configurable with matching work surface
3. pinable screen
4. screen compatible tool ladder




integrated pedestal




The Bisley integrated pedestals range has been designed to encompass virtually any configuration incorporated into any desk range. All components have been designed to be easily interchangeable enabling near-bespoke pedestals to be quickly specified and manufactured to the highest quality standards.


integrated pedestal (for the complete range see our website www.bisley.com/pdfs/pedspecguidenoprices07.pdf)




OBA52F1HH



OBA52F1EEH




OBA72F1HH




OBA72F1EEH




OBA52M1HH




OBA52M1EEH



OBA72M1HH



OBA72M1EEH



OBA59M1EH



OBA59M1EEE

item	description	height	width	depth
OBA52F1HH	freestanding pedestal (2 filing)	680 - 725 (26.7 - 28.5")	420 (16.5")	565 (22.2")
OBA52F1EEH	freestanding pedestal (1 filing)	680 - 725 (26.7 - 28.5")	420 (16.5")	565 (22.2")
OBA72F1HH	freestanding pedestal (2 filing)	680 - 725 (26.7 - 28.5")	420 (16.5")	775 (30.5")
OBA72F1EEH	freestanding pedestal (2 stationery & 1 filing)	680 - 725 (26.7 - 28.5")	420 (16.5")	775 (30.5")
OBA52M1HH	mobile pedestal (2 filing)	650 (25.5")	420 (16.5")	565 (22.2")
OBA52M1EEH	mobile pedestal (2 stationery & 1 filing)	650 (25.5")	420 (16.5")	565 (22.2")
OBA72M1HH	mobile pedestal (2 filing)	650 (25.5")	420 (16.5")	775 (30.5")
OBA72M1EEH	mobile pedestal (2 stationery & 1 filing)	650 (25.5")	420 (16.5")	775 (30.5")
OBA59M1EH	mobile pedestal (1 stationery & filing)	500 (19.5")	420 (16.5")	565 (22.2")
OBA59M1EEE	mobile pedestal (3 stationery)	500 (19.5")	420 (16.5")	565 (22.2")

Measurements in millimetres (approx. inches)

item	description	pack quantity
LTA4P6	A4 letter tray	6
LTA4PA	A4 letter tray	4
SDDA4P1	A4 system drawer dividers	1

A fifth castor can be fitted to filing drawers. To order suffix pedestal item with /T

counterbalance

Counterbalances can be either specified as factory fitted (suffix pedestal item Q) or ordered separately (BUPCW)

Safety warning

All mobile pedestals fitted with a file drawer should include either a 5th castor or a counterbalance.

All mobile pedestals fitted with two file drawers must include a counterbalance.

All freestanding pedestals not linked to a workstation and fitted with one or more file drawers must include a counterbalance.

roll-out pentray

Roll-out pen trays can be fitted behind the top stationery drawer. To order suffix pedestal code with /P

A4 drop-in pentray

Drop-in pentray can be either specified as factory fitted (suffix pedestal item U) or ordered separately

U - factory fitted DIP - drop in pentray (A) DIPP - drop in pentray (Foolscap)



- five carcase heights nom. 495, 545, 595, 645, 695mm
five drawer heights with options for 80% and 100% opening
- two carcase widths 300 & 420mm wide,
two carcase depths 565mm and 775mm
- customer configurable options for drawer
fronts, handles, carcase tops and finishes

1. narrow pedestal 300mm wide
2. desk supporting pedestal
3. underdesk pedestal 550mm high
4. pedestal with customer own fronts



wave pedestal



Stylish and strong, Wave is a completely new range of Bisley pedestals featuring all the popular pedestal variants. Soft, sculptured lines and a distinctive integrated handle provide a flowing aesthetic specifically designed to complement modern desking applications... but the appeal of Wave pedestals goes deeper; innovative drawer front design hides a fail-safe drawer interlock and embedded drawer alignment for easy operation, whilst the latest manufacturing technology delivers a robust carcass.

Two carcass widths provide for forward-facing A4 suspension file storage or 'narrow footprint' side facing suspension filing. Skids or counterbalances are included automatically with mobile pedestals.

wave pedestal



WV359MSF




WV359MSSS



WVA59MSF




WVA59MSSS




WVA52MFF




WVA52MSSF




WV352MFF



WV352MSSF



WVA53GFF



WVA53GSSF

item	description	height	width	depth
WV359MSF	mobile (1 stationery & 1 filing drawer)	495 (19.5")	300 (11.8")	565 (22.2")
WV359MSSS	mobile (3 stationery drawers)	495 (19.5")	300 (11.8")	565 (22.2")
WVA59MSF	mobile (1 stationery & 1 filing drawer)	495 (19.5")	420 (16.5")	565 (22.2")
WVA59MSSS	mobile (3 stationery drawers)	495 (19.5")	420 (16.5")	565 (22.2")
WVA52MFF	mobile (2 filing drawers) including counterweight	645 (25.3")	420 (16.5")	565 (22.2")
WVA52MSSF	mobile (2 stationery & 1 filing drawer)	645 (25.3")	420 (16.5")	565 (22.2")
WV352MFF	mobile (2 filing drawers) including counterweight	645 (25.3")	300 (11.8")	565 (22.2")
WV352MSSF	mobile (2 stationery & 1 filing drawer)	645 (25.3")	300 (11.8")	565 (22.2")
WVA53GFF	free standing/desk supporting (2 filing drawers)	698-731 (27.5-28.8")	420 (16.5")	565 (22.2")
WVA53GSSF	free standing/desk supporting (2 stationery & 1 filing drawer)	698-731 (27.5-28.8")	420 (16.5")	565 (22.2")
DIP	Drop-in pen tray (A4) can be ordered separately			
WVCW	Counterweight kit (customer fit only)			

Measurements in millimetres (approx. inches)



- 5 year Bisley guarantee
- robust, 'vertical wrap', welded steel carcase
- approved to BS EN 14073: Part 3
- drawer interlock – only single drawer opening at a time

1. integrated handle design
2. 100% extension file drawers
3. optional drop-in pen tray
4. file drawer 'skid' for stability



1



2



3



4





- 6.1 SystemFile combination units
- 6.2 SystemFile cupboards
- 6.3 SystemFile internal specification
- 6.4 InnerSpace



solutions found

Multiple storage solutions exist within a single range; Bisley have developed both cabinets and mobile shelving that offer huge flexibility in terms of widths, heights (and depths in the case of InnerSpace), which together with clever use of internals means that powerful solutions can be provided without complexity.

Sympathetic design and precision manufacture ensure a high quality product and an impressive office environment.




SystemFile - combination unit




Bisley SystemFile is an attractive high density storage solution. A comprehensive cabinet range with multiple height, width & closure options. Combinations of drawers, flippers, cupboard or tambour doors with a wide range of internal fittings, make SystemFile extremely versatile.


Systemfile combination units




SYC08/0/2
SYC10/0/2




SYC08/0/3
SYC10/0/3




SYC08/0/4
SYC10/0/4




SYC08/2/3
SYC10/2/3




SYC08/2/4
SYC10/2/4



SYC08/30D/3
SYC10/30D/3



SYC08/30T/3
SYC10/30T/3



SYC08/36D/3
SYC103/6D/3

item	description	height	width	depth
SYC08/0/2	2 drawers & counterbalance	693-717 (27.2-28.2")	800 (31.5")	470 (18.5")
SYC08/0/3	3 drawers & counterbalance	997-1021 (39.2-40.2")	800 (31.5")	470 (18.5")
SYC08/0/4	4 drawers & counterbalance	1301-1325 (51.2-52.2")	800 (31.5")	470 (18.5")
SYC08/2/3	2 x 381mm (15") flippers & 3 drawers	1793-1817 (70.5-71.5")	800 (31.5")	470 (18.5")
SYC08/2/4	2 x 305mm (12") flippers, lateral rails & 4 drawers	1947-1971 (76.5-77.5")	800 (31.5")	470 (18.5")
SYC08/30D/3	762mm (30") 1 adjustable shelf & 3 drawers	1793-1817 (70.5-71.5")	800 (31.5")	470 (18.5")
SYC08/30T.*/3	762mm (30") tambour, 1 adjustable shelf & 3 drawers	1793-1817 (70.5-71.5")	800 (31.5")	470 (18.5")
SYC08/36D/3	915mm (36") doors, 1 adjustable shelf & 3 drawers	1947-1971 (76.5-77.5")	800 (31.5")	470 (18.5")
SYC10/0/2	2 drawers & counterbalance	693-717 (27.2-28.2")	1000 (39.5")	470 (18.5")
SYC10/0/3	3 drawers & counterbalance	997-1021 (39.2-40.2")	1000 (39.5")	470 (18.5")
SYC10/0/4	4 drawers & counterbalance	1301-1325 (51.2-52.2")	1000 (39.5")	470 (18.5")
SYC10/2/3	2 x 381mm (15") flippers & 3 drawers	1793-1817 (70.5-71.5")	1000 (39.5")	470 (18.5")
SYC10/30D/3	762mm (30") 1 adjustable shelf & 3 drawers	1793-1817 (70.5-71.5")	1000 (39.5")	470 (18.5")
SYC10/30T.*/3	762mm (30") tambour, 1 adjustable shelf & 3 drawers	1793-1817 (70.5-71.5")	1000 (39.5")	470 (18.5")
SYC10/2/4	2 x 305mm (12") flippers, lateral rails & 4 drawers	1947-1971 (76.5-77.5")	1000 (39.5")	470 (18.5")
SYC10/36D/3	915mm (36") doors, 1 adjustable shelf & 3 drawers	1947-1971 (76.5-77.5")	1000 (39.5")	470 (18.5")

* Add digits for Shutter Colours available in light grey (1), cream (2), black (5), dark grey (9), silver (SL) and beech (BC)

Top panel is 472mm deep. All drawers include a file bar and two cross rails. Adjustable levelling feet fitted as standard.
Measurements in millimetres (approx. inches)



- five carcase heights from 695 mm to 1950mm
- carcase widths 800 & 1000mm
- drawers have file bars and cross rails for side to side or front to back filing of A4 and foolscap

1. side filers
2. combination flipper / drawers
3. cupboard / drawers
4. tambour / drawers



1



2



3



4




SystemFile - tambour & 2 door cupboards




SystemFile tambour and 2 door cupboards enable multiple storage formats to be stored behind a single elegant closure; SystemFile tambours feature smooth slat and matching handrail, SystemFile 2 door cupboards utilise a flush-front, full-height integrated handle design.


Systemfile tambour cupboards




SYT08/2




SYT08/3




SYT08/4




SYT08/54




SYT08/6




SYT10/2
SYT12/2




SYT10/3
SYT12/3



SYT10/4
SYT12/4



SYT10/54
SYT12/54



SYT10/6
SYT12/6

item	description	height	width	depth
SYT08/2.*	single tambour	693-717 (27.2-28.2")	800 (31.5")	470 (18.5")
SYT08/3.*	single tambour	997-1021 (39.2-40.2")	800 (31.5")	470 (18.5")
SYT08/4.*	single tambour	1301-1325 (51.2-52.2")	800 (31.5")	470 (18.5")
SYT08/54.*	single tambour	1793-1817 (70.5-71.5")	800 (31.5")	470 (18.5")
SYT08/6.*	single tambour	1947-1971 (76.5-77.5")	800 (31.5")	470 (18.5")
SYT10/2.*	double tambour	693-717 (27.2-28.2")	1000 (39.5")	470 (18.5")
SYT10/3.*	double tambour	997-1021 (39.2-40.2")	1000 (39.5")	470 (18.5")
SYT10/4.*	double tambour	1301-1325 (51.2-52.2")	1000 (39.5")	470 (18.5")
SYT10/54.*	double tambour	1793-1817 (70.5-71.5")	1000 (39.5")	470 (18.5")
SYT10/6.*	double tambour	1947-1971 (76.5-77.5")	1000 (39.5")	470 (18.5")
SYT12/2.*	double tambour	693-717 (27.2-28.2")	1200 (47.2")	470 (18.5")
SYT12/3.*	double tambour	997-1021 (39.2-40.2")	1200 (47.2")	470 (18.5")
SYT12/4.*	double tambour	1301-1325 (51.2-52.2")	1200 (47.2")	470 (18.5")
SYT12/54.*	double tambour	1793-1817 (70.5-71.5")	1200 (47.2")	470 (18.5")
SYT12/6.*	double tambour	1947-1971 (76.5-77.5")	1200 (47.2")	470 (18.5")

* Add digits for Shutter Colours available in light grey (1), cream (2), black (5), dark grey (9), silver (SL) and beech (BC)

Top panel is 472mm deep. Adjustable levelling feet fitted as standard. Tambour cupboards are supplied empty, see page 6.3 for internal fitments
Measurements in millimetres (approx. inches)




- five carcass heights from 695mm to 1950mm
- two (three) carcass widths 800, 1000 & 1200mm (tambours only)
- magnetic latching and multipoint locking


1. tambour handle detail
2. 2-door cupboard handle detail
3. approved to BS4875 pt 7 (BS4875 pt 8 Tambours)
4. all units have height adjustable levelling feet




Systemfile two door cupboards




SYD08/2
SYD10/2




SYD08/3
SYD10/3




SYD08/4
SYD10/4



SYD08/54
SYD10/54



SYD08/6
SYD10/6



SYD08/6/C
SYD10/6/C


item	description	height	width	depth
SYD08/2	two door cupboard	693 - 717 (27.2 - 28.2")	800 (31.5")	470 (18.5")
SYD08/3	two door cupboard	997 - 1021 (39.2 - 40.2")	800 (31.5")	470 (18.5")
SYD08/4	two door cupboard	1301 - 1325 (51.2 - 52.2")	800 (31.5")	470 (18.5")
SYD08/54	two door cupboard	1793 - 1817 (70.5 - 71.5")	800 (31.5")	470 (18.5")
SYD08/6	two door cupboard	1947 - 1971 (76.5 - 77.5")	800 (31.5")	470 (18.5")
SYD08/6/C	ventilated doors (includes shelf with coat rail)	1947 - 1971 (76.5 - 77.5")	800 (31.5")	600 (23.5")
SYD10/2	two door cupboard	693 - 717 (27.2 - 28.2")	1000 (39.5")	470 (18.5")
SYD10/3	two door cupboard	997 - 1021 (39.2 - 40.2")	1000 (39.5")	470 (18.5")
SYD10/4	two door cupboard	1301 - 1325 (51.2 - 52.2")	1000 (39.5")	470 (18.5")
SYD10/54	two door cupboard	1793 - 1817 (70.5 - 71.5")	1000 (39.5")	470 (18.5")
SYD10/6	two door cupboard	1947 - 1971 (76.5 - 77.5")	1000 (39.5")	470 (18.5")
SYD10/6/C	ventilated doors (includes shelf with coat rail)	1947 - 1971 (76.5 - 77.5")	1000 (39.5")	600 (23.5")

Top panel is 472mm deep. Adjustable levelling feet fitted as standard. Two door cupboards are supplied empty, see page 6.3 for internal fittings. Measurements in millimetres (approx. inches)

SystemFile - internal specification



SystemFile tambour and 2 door cupboards can be specified to meet your exact needs. The comprehensive choice of internal fitments means that SystemFile is particularly suited to general storage and filing solutions.



combination units - interior components

description	800	1000	1200
1. roll-out shelf			
2. slotted shelf	BIC08SSPS	BIC10SSPS	-
3. slotted shelf with undershelf filing	BIC08SSUPS	BIC10SSUPS	-
4. narrow shelf	BIC08NBSPS	BIC08NBSPS	-
5. shelf 32mm	BIC08BPSPS:T5	BIC10BPSPS:T5	-
6. narrow slotted shelf for A4 undershelf filing	BIC08NSSPS	BIC10NSSPS	-
7. shelf with undershelf filing (adjustable)	BIC08BSUPS	BIC10BSUPS	-
8. file bars for side to side suspension filing in drawers	BIC08FBPS	BIC10FBPS	-
9. coat rail - front to back with shelf	BIC08CRPS	BIC10CRPS	-
10. lateral rail for 12" flipper door	BIC08LRFPS	BIC10LRFPS	-
11. lateral rail	BIC08LRPS	BIC10LRPS	-
12. cross rails for front to back suspension filing	BICCRPS	BICCRPS	-

two door cupboards - interior components

description	800	1000	1200
1. roll-out shelf			
2. slotted shelf	BIC08SSPS	BIC10SSPS	-
3. slotted shelf with undershelf filing	BIC08SSUPS	BIC10SSUPS	-
4. narrow shelf	BIC08NBSPS	BIC10NBSPS	-
5. shelf 32mm	BIC08BPSPS:T5	BIC10BPSPS:T5	-
6. narrow slotted shelf for A4 undershelf filing	BIC08NSSPS	BIC10NSSPS	-
7. shelf with undershelf filing (adjustable)	BIC08BSUPS	BIC10BSUPS	-
9. coat rail - front to back with shelf	BIC08CRPS	BIC10CRPS	-
11. lateral rail	BIC08LRPS	BIC10LRPS	-


tambour units - interior components

description	800	1000	1200
1. roll-out shelf	BIT08RSPS	BIT10RSPS	BIT12RSPS
2. slotted shelf	BIT08SSPS	BIT10SSPS	BIT12SSUPS
3. slotted shelf with undershelf filing	BIT08SSUPS	BIT10SSUPS	BIT12SSUPS
5. shelf 32mm	BIT08BSPS:T5	BIT10BSPS:T5	BIT12BSPS:T5
7. shelf with undershelf filing (adjustable)	BIT08BSUPS	BIT10BSUPS	BIT12BSUPS
9. coat rail - front to back with shelf	BIT08CRPS	BIT10CRPS	BIT12CRPS
11. lateral rail	BIT08LRPS	BIT10LRPS	BIT12LRPS
12. cross rails for front to back suspension filing	BITCRPS	BITCRPS	BITCRPS
13. roll-out filing frame	BIT08RFAPS	BIT10RFAPS	BIT12RFAPS
14. roll-out 4" drawer	BIT08RDAPS	BIT10RDAPS	BIT12RDAPS
15. counterbalance recommended for all units up to 1340mm in height	BIACB08PS	BIACB10PS	BIACB12PS



- all internals supplied in black

- roll-out filing frame
- slotted shelf
- roll-out media drawer
- lateral rail



SystemFile is available with an extensive range of internal fittings for Tambours and 2-Door cupboards.

The tables illustrate the modular capacity of 2-Door Cupboards, Tambours, and internal fittings. Modular capacity refers to the total internal space available for storage where 1 module = 19mm.

All internals are supplied in black.

modular capacities for tambours and two door cupboards


tambour	2 door cupboards	height	tambours	cupboards
SYT**/6	SYD**/6	1947 - 1971	97	98
SYT**/54	SYD**/54	1793 - 1817	89	90
SYT**/4	SYT**/4	1301 - 1325	63	64
SYT**/3	SYT**/3	997 - 1021	47	48
SYT**/2	SYT**/2	693 - 717	31	32

** For all widths

modular requirements for tambours and two door cupboards


internals	tambours	cupboards
shelves	2	2
slotted shelves & dividers	2 + 8	2 + 8
shelf & undershelf filing	16	16
lateral rails	16	16
roll-out filing frame	15	-
roll-out drawer	6	-
roll-out shelf	3	-

A. lateral rails




Lateral rails and shelves with undershelf filing with lateral files up to 275mm require 16 modules.

B. roll-out filing frames



Roll-out filing frames with suspension files up to 245mm require 15 modules.

C. shelving



Make sure you allow enough space for the height of the tallest item to be stored on the shelf.


C = height of item to be stored. To calculate modules divide C by 19mm and round-up.

InnerSpace



Bisley InnerSpace is a high-density storage system designed specifically for the front office, releasing space where it's needed most.


Easy to specify, easy to install and easy to reconfigure, InnerSpace enables users to gain maximum storage capacity in the minimum floor space.



Static shelving



100% increase
in storage capacity



50% decrease
in space required

InnerSpace

Bay widths: 800, 1000, 1200mm

Max no. bays: 6

Max unit length: No. bays x bay-width + 140mm front ramp
+ 30mm back edging




Bay depth (approx. shelf depth): Single - 300, 360, 400 &
440mm. Double - 600, 720, 800 & 880mm

Frame height: 1107, 1827, 2187mm

Unit height: Frame height + 85mm (base) + 38mm
track/floor + up to 35mm floor adjustment

Shelf loading: 38kg

Max bay loading: 500kg





- increase storage capacity up to 100%
- create the same storage capacity in 50% less floor space
- release valuable space for other office use
- accommodates roll-out filing frames, media drawers and reference shelves

1. vertical media on 300mm shelf
2. horizontal media on dual purpose 360mm shelf
3. designed to SEMA & FEM code of practice
4. clean, quiet, ergonomic drive mechanism



1



2



3



4



appendix: colour



standard colour palette



item	description	item	description
1. 55	silver	9. 06	cream
2. 33	black	10. 05	coffee
3. 84	edinburgh	11. 66	sepia
4. 51	graphite	12. 41	yellow
5. 73	goose grey	13. 42	green
6. 45	light grey	14. 70	cardinal red
7. 25	chalk	15. 39	oxford blue
8. 69	beige		

All cupboard internals (except stationery cupboards) are supplied in: light grey or black

Side opening tambour shutters available in: light grey (1), dark grey (9), black (5), cream (2) and silver (SL)

System file tambour shutters available in: black (5), light grey (1), dark grey (9), cream (2), beech (BC) and silver (SL)

A4 Eurotambour shutters available in: light grey (LG), dark grey (9), black (5), white (WH), cream (2), silver (SL) and beech (BC)



fast track colour palette



item	description
1. V7	light grey
2. V4	goose grey
3. V1	black
4. V5V6	coffee/cream duo



additional colour palette available for towers, pedestals, and InnerSpace



item	description	item	description
1. n9	slate	11. b7	derby
2. g9	york	12. a7	majolica
3. b9	chalk	13. n8	harley
4. rn	silver	14. g8	regent
5. n6	montana	15. b8	portland
6. g6	oregon	16. a8	langham
7. b6	alaska	17. n5	saruk
8. a6	florida	18. g5	harvest
9. n7	doulton	19. b5	vanilla
10. g7	minton	20. a5	paprika

The colour blocks above are only approximations, please refer to Bisley metal colour samples for an exact representation.

general terms & conditions

Guarantees & Service

All Bisley products are guaranteed to cover all defects in materials and workmanship. For details of specific guarantee periods against each product check for up to date information on our website www.bisley.com

Conditions

1. The guarantee is only valid with the customer's original invoice or proof of purchase (indicating the date of purchase, product type and dealer's name).
2. The guarantee does not cover damage resulting from misuse, neglect, or accidents and applies when the product is used during normal office hours. Where the product is used for periods which exceed normal office hours the guarantee is valid for eighteen months. (maximum 45 hours per week)
3. Failure due to fair wear and tear is specifically excluded.
4. This guarantee is not transferable and can only be exercised by the original purchaser and is only applicable to the UK Mainland.
5. Please arrange for the product to be returned to your Dealer for repair unless otherwise agreed.

The following notes for your (Dealer) guidance will be helpful:-

1. Please ensure your customer has proof of purchase, this will be required for in-guarantee repair.
2. If the furniture requires in-guarantee repair contact Bisley Customer Services and ask for a Service Request Form.
3. Should the furniture require repair out of guarantee contact Bisley Customer Services for a Repair Request Form.

Repair Service

Bisley Office Furniture is able to offer a Repair Service for products requiring out of guarantee maintenance or repair.

If you require the Repair Service please call Bisley Customer Services for a quotation.

Replacement Keys

To order replacement keys please contact:

Lowe and Fletcher - 0845 3031034, with details of your product type, key series no. (available from Bisley Sales Office) purchase date and key/lock number.

Direct Delivery Charges - Mainland UK only

Subject to quotation

Storage Charges

Subject to quotation

Cancellation of Orders

Cancelled orders will be subject to the following charges:-

Standard Product:	Product not made	- No Charge
	Product made	- 10% of order value

Special Product:	Product not scheduled	- No Charge
	Product Scheduled	- Quoted price less 25%
	Product made	- Quoted price