

Lockers - MonoBloc™



First choice for workplace storage

BISLEY

Lockers - MonoBloc™



MonoBloc™ Lockers



1. standard lock



2. moulded plastic feet




3. ventilation slots



4. hasp lock

Bisley MonoBloc™ lockers provide a functional yet stylish solution for secure personal storage in commercial or public environments. They feature a welded carcass construction with single, double, triple and quadruple width apertures and are available with full-height doors, or alternatively further vertically subdivided by half, third or quarter height doors. Seven carcass sizes, four base options and four lock options, means that there are 448 different locker variations to choose from. Bisley MonoBloc™ lockers are available in a selection of colours to suit differing environments.

Additional design features include an under shelf coat rail with hooks in single door lockers, clean/dirty dividers, perforated doors for ventilation, an integrated label holder, sloping tops and perforated sides for bolting units together.




ML03Sx

ML06Dx

ML09Tx

ML11Qx



ML04Sx

ML08Dx

ML12Tx

248mm wide doors, 1700mm high, 500mm deep

code	description no. doors x size of doors	external width	internal door height	no. columns	no. rows
ML03S1	1 x full height door	322	1580	1	1
ML03S2	2 x half height doors	322	787	1	2
ML03S3	3 x third height doors	322	520	1	3
ML03S4	4 x quarter height doors	322	390	1	4
ML06D1	2 x full height doors	610	1580	2	1
ML06D2	4 x half height doors	610	787	2	2
ML06D3	6 x third height doors	610	520	2	3
ML06D4	8 x quarter height doors	610	390	2	4
ML09T1	3 x full height doors	900	1580	3	1
ML09T2	6 x half height doors	900	787	3	2
ML09T3	9 x third height doors	900	520	3	3
ML09T4	12 x quarter height doors	900	390	3	4
ML11Q1	4 x full height doors	1183	1580	4	1
ML11Q2	8 x half height doors	1183	787	4	2
ML11Q3	12 x third height doors	1183	520	4	3
ML11Q4	16 x quarter height doors	1183	390	4	4

348mm wide doors, 1700mm high, 500mm deep






code	description no. doors x size of doors	external width	internal door height	no. columns	no. rows
ML04S1	1 x full height door	422	1580	1	1
ML04S2	2 x half height doors	422	787	1	2
ML04S3	3 x third height doors	422	520	1	3
ML04S4	4 x quarter height doors	422	390	1	4
ML08D1	2 x full height doors	810	1580	2	1
ML08D2	4 x half height doors	810	787	2	2
ML08D3	6 x third height doors	810	520	2	3
ML08D4	8 x quarter height doors	810	390	2	4
ML12T1	3 x full height doors	1200	1580	3	1
ML12T2	6 x half height doors	1200	787	3	2
ML12T3	9 x third height doors	1200	520	3	3
ML12T4	12 x quarter height doors	1200	390	3	4

units factory fitted with clean/dirty dividers

MLD04S1	1 x full height doors	422	1580	1	1
MLD08D1	2 x full height doors	810	1580	2	1
MLD12T1	3 x full height doors	1200	1580	3	1

 colour palette

doors

	red
	yellow
	green
	oxford blue
	anthracite
	light grey

carcase and feet

	light grey
--	------------

Colour blocks are only approximations,
please refer to Bisley metal colour
samples for an exact representation

MonoBloc™

Benefits & Features

- multi-compartment, unitary construction produces a rigid carcase with improved unit price.
- shared vertical means a reduced footprint compared to equal number of standalone lockers
- individually ventilated doors offer better air circulation
- extensive range of sizes offers more choice
- wide choice of base options for more functional layout solutions
- increased selection of locking options
- optional sloping tops on all models.
- Perforated doors for ventilation.
- Integrated label holder.
- Perforated sides and back for bolting units together.

Options

- Welded carcase construction with single, double, triple and quadruple width apertures available with full-height doors, or alternatively further vertically subdivided by half, third or quarter height doors.
- All lockers are 500mm deep x 1700mm high.
- Seven carcase widths.
- Units can be fitted with leveller feet - height adjustable 13 - 35mm (overall height 1713 - 1735mm)
- Base options include:
 - Moulded plastic foot, height 150mm (overall height 1850mm)
 - Plinth, height 106mm (overall height 1806mm)
 - Bench, height 400mm (overall height 2100mm)
- Optional hasp or rotary combination locks.
- Under shelf coat rail with hooks in full or half height door lockers.
- Units factory fitted with clean/dirty dividers available.

Technical Information

Product Group:	62
Made at:	Newport
Finishes:	Textured powder
Guarantee:	5 years
Key info:	64 series, 1000 differs, mastered

Head Office, Sales & Production

F C Brown (Steel Equipment) Ltd
Bisley Office Furniture
Queens Road
Bisley, Surrey
GU24 9BJ
Tel: +44 (0)1483 485 600
Fax: +44 (0)1483 489 962
info@bisley.com

Showroom

Bisley Office Furniture
Northumberland House
155-157 Great Portland Street
London
W1W 6QP
Tel: +44 (0)20 7436 7111
Fax: +44 (0)20 7436 8111
info@bisley.com

Design & Production

Bisley Office Furniture
Caswell Way
Reevesland Ind Est
Newport, South Wales
NP19 4PW
Tel: +44 (0)1633 637 383
Fax: +44 (0)1633 637 384
info@bisley.com

Bisley France

6 bis, rue Georges Chapelier
78150 Le Chesnay
France

Tel: +33 (0)1 39 54 39 58
Fax: +33 (0)1 39 55 98 03
info@bisley.fr

Bisley GmbH

Wiesenstrasse 70
40549 Düsseldorf
Germany

Tel: +49 211 87 541 600
Fax: +49 211 87 541 899
info@bisley.de

Bisley B.V.

Vollerstraat 2
5051 JV GOIRLE
Holland

Tel: +31 13 46 30 662
Fax: +31 13 46 39 615
info@bisley.nl

Bisley Ireland

36 Beechwood Close
Bray, Co. Wicklow
Ireland

Tel: +353 (0)1 276 9100
Fax: +353 (0)1 276 9101
info@bisley.ie

Bisley Spain

Pol. Ind. Bakiola Pab. 6
48498 Arrankudiaga (Vizcaya)
Spain

T +34 94 633 32 00
F +34 94 633 32 33
info@bisley.es

www.bisley.com

